



K050 : Stainless Steel Polish

silicone free

Description of product

Cleans, polishes and protects in one easy action. Non greasy film resists fingermarking and dust. Restores surface to original lustre. Non abrasive, will not scratch. Ozone friendly. Does not contain chlorofluorocarbons.

Product Uses

For cleaning and polishing all types of stainless steel, chrome, aluminium and lacquered surfaces situated in kitchens and bathrooms; hotels, and restaurants and on decorative features.

Directions

Shake can well before spraying. Hold can as upright as possible approximately 20cm from surface. Spray lightly and polish with a clean cloth. Product can be sprayed directly onto a cloth and wiped over surface. Do not over apply.

iN Insight Supported

iN Insight is Selden's interactive product selection and training system. Enables the user to create full COSHH training kits, wallcharts, task cards and more. visit <http://www.selden.co.uk/insight>



typical dilution

n/a

iN Insight recommended product uses

Special - chrome, stainless steel, metallic surface cleaning and polishing

Product Hazards and PPE Requirements



Contains : 5-chloro-2-methyl 2H-isothiazol -3-one and 2-methyl 2H-isothiazol 3-on

Risk Phrases

Contains 5-chloro-2-methyl 2H-isothiazol -3-one and 2-methyl 2H-isothiazol 3-on. May produce an allergic reaction. Extremely flammable aerosol. Pressurised container: May burst if heated.

Safety Phrases

Keep out of reach of children. Keep away from heat, sparks, open flames, hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

Technical Data

Composition	A blend of solvents, cleaners, emulsifiers and polishing chemicals.
Appearance	Opaque cream
Colour	White
Density	0.82
Fragrance	Lemon
Stability	Two years minimum
Storage	Pressurised container. Store out of direct sunlight. Temperature must not exceed 50oC

Aerosol Information

Propellant	Hydrocarbon
Pressure	60 psi
Spray Rate	1.7

Environmental Profile

Biodegradability

All surfactants contained in Selden Products meet the requirements of the EU Detergent Directive 2005 – 2004/648/EC. This requires all surfactants to break down both quickly and completely into harmless material such as CO2 and water.

Selden Environmental Charter

- We set ourselves industry leading standards.
 - Selden minimises wastage, packaging and transportation.
 - If it can be recycled, it will be recycled.
 - Our chemicals policy exceeds regulatory requirements.
 - We don't expect other people to clean up after us.
 - Conserving energy, preserving resources.
 - By being innovative, we strive to do better.
 - We like to work in partnership with our clients.
- Visit our website for more information.

External Accreditations

9001 - Quality System
14001 - Environmental System
18001 - Health & Safety System
IPPC Certified Manufacturer

Sustainability

Product conforms with the DEFRA endorsed Sustainable Cleaning guidance



COSHH+ Supported

Selden's bespoke COSHH awareness and product training tool. Users specify the products in use and instantly generate a full training pack to enable quick and effective staff training.



www.flagship-mcp.com

Flagship products are those products that are included in Selden Multi-language Cleaning Programme. Flagship products have induction kits, best practise guidance, MSDS, wallcharts and usage guides available in the following languages



english, french, spanish, portuguese, polish, german, dutch, russian, romanian, estonian, czech, croatian.



UKAS
accredited testing
laboratory No. 4204



SELDEN
formulating
testing
manufacturing
to
the highest
standards

Selden Research Limited

Staden Business Park, Staden Lane, Buxton
Derbyshire. SK17 9RZ

Tel : 01298 26226 | Fax : 01298 26540 | Email : info@selden.co.uk | web : www.selden.co.uk

